

SUPPLEMENT TO



The Gazette of India

No. 22] NEW DELHI, SATURDAY, JUNE 7, 1958/JYAISTHA 17, 1880

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th May, 1958

	CHOLERA			SMALLPOX			PLAQUE			CHOLERA			SMALLPOX			PLAQUE		
	C.	D.	C.	D.	C.	D.	C.	D.	C.	C.	D.	C.	D.	C.	D.	C.	D.	
Andhra Pradesh																		
Srikakulam	104	32											
Visakhapatnam	20	15											
East Godavari	.	10	5	15	2											
West Godavari	.	18	7	22	3											
Krishna	.	..	1	1	19	1										
Guntur	37	12											
Nellore	8	5											
Kurnool	16	3											
Cuddapah	42	5											
Anantapur	.	..	1	..	44	5										
Chittoor	23	8											
Warangal	4	2											
Karimnagar	.	..	14	6										
Adilabad	2											
Nizamabad	.	..	13	3	2	1										
Medak	1	1										
Nalgonda	5											
Mahbubnagar	.	16	9	5											
Hyderabad	9	4											
TOTAL	.	73	31	373	104											
Total for w/e 3-5-58	122	61	457	111												
Total for w/e 26-4-58	117	70	513	132												

Assam

Cachar	7											
Naga Hills	1										
Goalpara	5										
Kamrup	5										
Darrang	2	2										
TOTAL	20	2											
Total for w/e 3-5-58	14	8											
Total for w/e 26-4-58	17	6											

Madhya Pradesh

["N.R."]

Explanation of symbols used:—C = Cases ; D = Deaths; .. = Nil; "N.R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th May, 1958—*contd.*

	CHOLERA						SMALLPOX						PLAQUE						CHOLERA						SMALLPOX					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.				
Madras																														
Madras City	108	39																						
Chingleput	32	13																						
South Arcot	35	10																						
Tiruchirappaili	17	6																						
Tanjore	10	1																						
Madurai	2																						
Ramanathapuram	9	3																						
North Arcot	15	7																						
Salem	44	7																						
Coimbatore	37	14																						
The Nilgiris	3																						
	TOTAL	312	100																						
Total for w/e 3-5-58	386	95																						
Total for w/e 26-4-58	8	4	328	83																								
Manipur																														
	TOTAL	4	3																						
Total for w/e 3-5-58	3																						
Total for w/e 26-4-58	6	1																						
Mysore																														
	"N.R."																													
Orissa																														
Cuttack	18	17																						
Balasore	.	1	1	27	7																							
Puri	.	..	12	4	60	13																						
Sambalpur	.	..	29	18	87	21																						
Bandh	12	6																						
Ganjam	.	..	21	8	132	42																						
Koraput	23	5																						
Mayurbhanj	.	..	56	8	43	11																						
Dhenkanal	10																						
Keonjhar	15	3																						
Bolangir Patna	62	3																						
Sundargarh	23																						
Kalahandi	46	11																						
	TOTAL	..	119	49	558	139																						
Total for w/e 3-5-58	25	16	601	133																								
Total for w/e 26-4-58	42	20	758	170																								
Pondicherry																														
	TOTAL																						
Total for w/e 3-5-58	7	3																						
Total for w/e 26-4-58	7	2																						
Punjab																														
	"N.R."																													
Rajasthan																														
	"N.R."																													
	TOTAL	43	28	632	231	..																								
Total for w/e 3-5-58	930	281	..																									
Total for w/e 26-4-58	839	297	..																									

Explanation of Symbols used:—C.—Cases ; D.—Deaths ; ..—Nil ; "N.R."—Information not received.

Reported attacks and deaths from cholera smallpox plague and typhus in districts in India during the week ending the 10th May, 1958—*contd.*

	CHOLERA						SMALLPOX						PLAQUE						CHOLERA						SMALLPOX					
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.				
West Bengal												Bombay																		
"N.R."												w/e 3-5-58																		
Total for India (Excluding Bihar, Bombay, Himachal Pradesh, Madhya Pradesh, Mysore, Punjab, Rajasthan, Tripura, and West Bengal)	236	109	1,941	598	Greater Bombay	105	25			
Corresponding Total for w/e 3-5-58	148	77	2,497	663	Ahmedabad	3	1			
Corresponding Total for w/e 26-4-58	167	94	2,502	716	Amreli	4			
ARREAR INFORMATION												Bombay																		
Madhya Pradesh												w/e 19-4-58																		
Balaghat	45	6	Gohilwad			
Sagar	103	1	Kutch			
Sehore	1	Ahmednagar			
Bhind	17	East Khandesh	..	3	1	273	42			
Mandla	18	3	Kolaba			
Narsinghpur	100	18	Nasik			
Nimar(Khangone)	37	9	Poona			
Mandsaur	II	1	Ratnagiri			
Ujjain	23	10	N. Satara			
Hoshangabad	12	Sholapur			
Raigarh	12	6	3	W. Khandesh			
Indore	8	17	Akola			
Damoh	45	13	Amraoti			
Raipur	1	1	Bhandara			
Umaria	31	5	Buldhana			
TOTAL	13	7	454	83	Chanda			
w/e 26-4-1958												Nagpur			
Nimar (Khargone)	4	2	Wardha		
Ratlam	33	Yeotmal		
Damoh	94	30	Nanded	169	13	
Mandla	14	Parbhani	1	1	
Raigarh	164	48	83	9	TOTAL	173	15	1135	173	
Durg	6	6	8	1	Bihar																		
Balaghat	93	14	Patna	3	..	15	2	
Hoshangabad	24	7	Gaya	66	15		
Indore	1	9	Shahabad	12	2		
Umaria	32	14	Saran	12	1		
Betul	11	2	Darbhanga	1	1		
Mandsaur	11	2	Monghyr	70	21		
Zhabua	13	1	Bhagalpur	3	3		
Sehore	11	8	Santal Parganas	8	3		
Bhind	2	Hazaribagh	22	6		
Surgoja	2	Ranchi	51	8		
Raisen	16	5	Palamau	17	3		
Raipur	3	..	17	Dhanbad	36	11	7	4	
Bilaspur	142	82	17	17	Singhbhum	8	1	
TOTAL	315	136	486	121	TOTAL	39	11	292	70

Explanation of symbols used; C.—Cases ; D.—Deaths ; .. = Nil. "NR"=Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th May, 1958—*contd.*

	CHOLERA SMALLPOX PLAGUE							CHOLERA SMALLPOX PLAGUE						
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Bihar—<i>contd.</i>						(Supplementary)								
<i>w/e 22-3-58</i>						<i>w/e 19-4-58</i>								
Patna	12	..	12	1	Bidar	40	4	
Gaya	134	28								
Saran	2	1	..								
Darbhanga	19	5	..		Bidar	102	29	..	
Monghyr	121	22	..								
Bhagalpur	48	17	..								
Saharsa	27	20	..								
Purnea	28	4	..		Burdwan	15	8	301	118	
Santal Parganas	11	4	..		Birbhum	152	37	
Hazaribagh	45	15	..		Ranikhet	18	10	51	25	
Ranchi	47	5	..		Midnapur	10	5	72	24	
Palamu	4	2	..		Hoogly	33	19	44	24	
Dhanbad	2	1	14	3	..		Howrah	232	71	33	27	
Singhbhum	4		24-Parganas	310	112	197	95	
TOTAL	14	1	516	127		Calcutta	508	159	3	3	
<i>w/e 3-5-58</i>						<i>w/e 3-5-58</i>								
Patna	22	..	12		Nadia	1	..	48	44	
Gaya	30	10	..		Murshidabad	59	24	
Darbhanga	14	8	..		West DinaJPUR	137	42	
Monghyr	8	1	..		Jalpaiguri	24	4	
Bhagalpur	1	1	1	..		Malda	252	86	
Purnea	5	1	..		Cooch Behar	5	5	
Santal Parganas	4	3	1		Puri	36	8	
Hazaribagh	5	2	9	4	..		TOTAL	1127	384	1414	566	
Ranchi	42	9	..								
Palamu	4								
Dhanbad	17	3	..								
TOTAL	32	6	143	36								
Mysore						Andhra Pradesh								
<i>w/e 3-5-58</i>						<i>w/e 3-5-58</i>								
Bangalore	13	5	..		Srikakulam	97	24	
Hassan	1		Visakhapatnam	46	13	
Chikmagalur	1		E. Godavari	25	15	27	9	
Kolar	5	1	..		West Godavari	18	12	42	9	
Mandy	4		Krishna	30	5	
Mysore	6	3	7		Guntur	8	5	76	20	
Trimur	3	1	..		Nellore	17	6	
Bellary	48	25	15	4	..		Kurnool	11	9	16	7	
Raichur	40	13	57	10	..		Cuddapah	34	5	
Belgaum	1		Anantapur	28	9	32	5	
Bijapur	2		Chittoor	28	3	
Dharwar	5	1	..		Warrangal	2	1	
S. Kanara	1	1	..		Karimnagar	21	10	1	1	
Coorg (Mercara)	10	1	..		Adilabad	1	..	
TOTAL	95	41	124	24		Medak	1	..	
								Nalgonda	5	
								Mahbubnagar	6	1	
								Hyderabad	7	2	
								TOTAL	122	61	457	111	
												

Explanation of Symbols used :—C.—Cases; D.—Deaths; ...=Nil;

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 10th May, 1958—concl'd.

	CHOLERA						CHOLERA								
	C.		D.		C.		D.		C.		D.				
	Punjab						Rajasthan—contd.								
w/e 3-5-58						w/e 26-4-58									
Ambala	4	2	Sirohi	8			
Kangra	1	Udaipur	4			
Hoshiarpur	1	Bhilwara	18			
Jullundur	1	Bikaner	5			
Ludhiana	4	Churu	7			
Kapurthala	2	Ganganagar	14			
Bhatinda	1	Kotah	23			
Sangrur	2	Jhalawar	4			
TOTAL	16	2	TOTAL	298			
												69			

Rajasthan

w/e 26-4-58

Ajmer	9	1
Jaipur	38	5
S. Madhopur	41	2
Jhun Jhunu	24	4
Sikar	37	5
Bharatpur	4
Tonk	24	2
Pali	10	6
Barman	30	9

Poliomyelitis

(Information based on patients treated in hospitals of important towns)

Place	Period	Case	Death
West Bengal	. Jan. 1958	1	.. (Paretic)
Do	. Feb. 1958	3*	.. Do.
Do	. March 1958	14	.. Do.
Do	. April 1958	5	.. Do.

N. B. * 2 Post Polio Cases.

REMARKS

Small pox :—The Districts of Mathura and Ghazipur in Uttar Pradesh, Sambalpur, Ganjam, Bolangir—Patna and Kalahandi in Orissa State; Srikakulam in Andhra Pradesh, and the city of Madras reported

heavy incidence of the disease during the week under review.

Epidemic conditions were not reported from any of the States, in the country.

Explanation of Symbols used C.=Cases; D.=Deaths; ..=Nil

NEW DELHI, 2 (INDIA);
The 2nd June, 1958. /

H. R. SHARMA,
for Registrar General, India.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th May, 1958

Deaths from :—

Town	Mid-year Popn.-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Andhra Pradesh														
Adoni†	.	51	20	20·4	..	1	1	1	..	7	7·1	1
Anantpur†	.	41	26	33·0	2	6	7·6	3
Anakapalli	.	48	21	22·7	7	2	1	..	12	13·0	4
Bhimavaram	.	48	26	33·0	2	6	7·6	3
Chirala	.	48	21	22·7	7	2	1	..	12	13·0	4
Chittoor†	.	46	34	38·4	2	..	2	1	16	18·1	3
Cuddapah	.	108	29	13·9	2	..	3	..	23	11·1	..
Elluru	.	40	3	3·9	2	2	2·6	..
Gudivada	.	43	20	24·2	..	2	..	2	1	1	..	13	15·7	1
Guntur†	.	43	20	24·2	..	2	..	2	1	1	..	13	15·7	1
Guntakal	.	43	20	24·2	..	2	..	2	1	1	..	13	15·7	1
Kakinada†	.	43	20	24·2	..	2	..	2	1	1	..	13	15·7	1
Kurnool	.	74	55	38·7	1	..	3	1	28	19·7	8
Masulipatam	.	95	40	21·9	1	2	1	..	18	9·8	2
Nandyal	.	40	12	15·6	1	2	7	9·1	2
Nellore	.	107	96	46·7	..	2	..	3	2	3	1	43	20·9	7
Proddutur†	.	137	40	15·2	3	..	2	..	24	9·1	3
Rajahmundry	.	76	61	41·7	4	1	1	..	16	10·9	5
Vijayawada	.	253	111	22·9	6	3	12	..	70	4·4	15
Visakhapatnam	.	148	69	24·2	..	2	..	7	5	10	..	37	13·0	11
Vizianagaram	.	81	30	19·3	4	..	2	..	14	9·0	4
Hyderabad†	.	81	11	7·1	..	1	1	0·6	1
Warrangal †	.	143	3	1·1
TOTAL		1,612	681	22·0	..	8	..	46	17	43	5	337	10·9	70

Assam

"N.R."

Bihar

"N.R."

Bombay

"N.R."

Delhi

"N.R."

Kerala

"N.R."

Madhya Pradesh

"N.R."

Madras

Ambur	.	48	47	50·9	1	..	9	9·8	5	
Arrupukottai	.	62	38	31·9	3	2	2	..	12	10·1	4
Bodinayakumur	.	43	23	27·8	3	..	1	6	7·3	3
Chidambaram	.	43	46	55·6	1	1	11	13·3	4
Coimbatore	.	267	231	45·0	..	1	..	1	12	16	..	85	16·6	23
Cuddalore	.	76	47	32·2	2	1	3	1	24	16·4	2
Dindigul	.	100	52	27·0	1	..	2	..	5	2·6	1
Erode	.	77	65	43·9	1	2	7	1	18	12·2	3
Gobichetipalayam	.	48	19	20·6	3	3·3	1
Gudiyattam	.	58	32	28·7	..	1	..	1	8	1	..	24	21·5	5
Kancheepuram	.	93	56	31·3	..	1	..	1	2	8	1	25	14·0	7
Karaikudi	.	47	25	27·7	1	1	8	8·9	2
Karur	.	57	37	33·8	3	10	9·1	1
Kumakonam	.	115	97	43·9	..	1	..	2	5	5	..	31	14·0	4
Madras City	.	2,011	1,360	35·2	..	43	..	69	74	134	8	582	15·0	190

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th May, 1958—contd.

Town [†]	Mid-year Popn. Est. (000)	Deaths from—												D.R.* I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.* I.D.		
Madras—contd.														
Madurai	488	308	32·8	14	10	31	..	116	12·4	20	
Mayuram	53	49	48·1	..	1	2	..	14	13·7	2	
Mattapalayam	43	4	4·8	2	1	..	1	5	6·0	1	
Nagapattinam	62	59	49·5	3	5	2	..	19	15·9	4	
Nagercoil	109	32	15·3	5	1	..	1	16	7·6	2	
Ootacamund	53	29	28·5	..	1	8	..	16	15·7	2	
Palni	44	32	37·8	1	3	..	5	5·9	1	
Palayamkottai	48	87	94·3	2	..	20	21·7	5	
Periyakulam	35	15	22·3	2	..	7	10·4	2	
Pollachi	60	47	40·7	1	3	4	..	18	15·6	1	
Pudukottai	54	29	27·9	1	..	2	..	8	7·7	1	
Rajapalayam	74	39	27·4	3	3	4	..	14	9·8	2	
Salem	279	160	29·8	8	5	9	1	59	11·0	4	
Sriangam	46	15	17·0	2	..	10	11·3	1	
Srivilliputtur	45	23	26·6	2	..	3	14	16·2	1	
Tanjore	133	117	45·7	4	2	1	..	32	12·5	5	
Tiruchirappalli	276	131	24·7	2	4	3	..	66	12·4	10	
Tirunelveli	84	51	31·6	2	3	..	17	10·5	5	
Tiruppur	73	48	34·2	1	1	..	12	8·5	6	
Tiruvannamalai	47	51	56·4	1	6	1	20	22·1	6	
Tuticorin	121	74	31·8	4	11	..	34	14·6	5	
Vaniyambadi	45	19	22·0	1	2	1	..	12	13·9	2	
Vellore	141	110	40·6	..	4	..	1	5	8	3	58	21·4	17	
Villapuram	42	36	44·6	1	2	9	11·1	1	
Virudhunagar	57	30	27·4	2	1	..	8	7·3	2	
TOTAL	5657	3770	34·7	..	53	..	132	166	283	27	1462	13·4	363	
Mysore														
Bangalore	1,246	416	17·4	..	8	..	10	56	92	..	239	10·0	6	
Mysore	347	116	17·4	..	2	..	24	2	6	..	85	12·7	..	
Kolar Gold Fields	180	61	17·6	..	1	..	3	5	1	..	20	5·8	1	
Bellary	83	64	40·1	2	..	3	..	17	10·6	4	
Dovangere	85	22	13·5	2	9	5·5	..	
Shimoga†														
Bhadrapur†														
Hospet†														
Tumkur	51	32	32·6	1	1	2	2·0	..	
Kolar†														
Chitaldrug	37	4	5·6	3	4·2	..	
Hassan†														
Bidar†														
Gulberga	101	25	12·8	3	5	2·6	..	
Raichur†														
Belgaum	110	76	35·9	3	19	9·0	..	
Bijapur†	85	11	6·7	1	..	4	..	13	8·0	..	
Dharwar														
Mangalore	153	73	24·8	..	2	..	1	11	3·7	2	
Bagalkot	39	22	29·3	4	..	1	..	12	16·0	..	
Hubli†														
Gadag (Betigeri)	73	56	39·8	10	..	2	..	25	17·8	1	
TOTAL	2,590	978	19·6	..	13	..	64	63	109	1	460	9·2	14	
Orissa														
Bhadrampur	81	35	22·5	..	1	..	4	4	2	2	19	12·2	4	
Cuttack	129	64	25·8	..	5	..	4	5	14	..	52	21·0	5	
Puri	56	39	36·2	6	2	5	..	25	23·2	9	
TOTAL	266	138	27·0	.	6	.	14	11	21	2	96	18·8	18	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (Included in total deaths) ; ..—Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th May, 1958—*contd.*

Town	Mid-year Popn.-Est (000)	Deaths from :—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Pondicherry	68	86	65·8	4	6	3	2	25	19·1	13
Punjab													
Ambala	62	43	36·1	..	2	..	7	5	5	..	22	18·5	6
Amritsar	359	230	33·4	1	4	25	..	74	10·7	22
Batala	66	26	20·5	5	3	4	..	15	11·8	3
Bhiwani	59	61	53·8	7	1	2	..	13	11·5	3
Ferozepur	47	25	27·7	1	3	3	..	10	11·1	4
Hissar	41	18	22·9	6	..	1	..	8	10·2	2
Hoshiarpur	54	33	31·9	..	1	..	3	2	11	10·6	3
Jullundhar	230	155	35·1	16	2	15	..	52	11·8	7
Karnal	83	45	28·3	16	20	12·6	1
Ludhiana	194	146	39·1	10	1	12	..	47	12·6	8
Moga	45	20	23·2	3	..	1	..	4	4·6	1
Panipat	72	22	15·9	5	1	9	6·5	3
Pathankot	36	23	33·3	1	2	2	..	6	8·7	2
Rewari	40	11	14·3	3	1	6	7·8	2
Rohtak	96	46	24·9	6	1	1	..	15	8·1	2
Simla	53	50	49·1	10	9·8	2
Sonepat	36	19	27·5	8	..	2	..	13	18·8	9
Bhatinda	45	22	25·5	3	..	2	..	8	9·3	..
Malerkotla	35	23	34·3	3	..	18	1	..	6	8·9	..
Patiala	125	26	10·8	4	..	1	..	38	15·8	15
TOTAL	1,778	1,044	30·5	..	6	..	123	27	76	1	387	11·3	95
Rajasthan													
Ajmer	244	73	15·5	..	1	..	27	3	7	..	69	14·7	15
Ajwarp†													
Beawar†													
Bharatpur†													
Bikaner	117	50	22·2	2	3	7	..	28	12·4	4
Churu†													
Ganganagar†													
Jaipur†													
Jodhpur†													
Kotah	83	5	3·1	2	4	2·5	2
Sikar†													
Tonk†													
Udaipur	121	5	2·1	1	3	1·3	..
TOTAL	565	133	12·2	..	1	..	31	7	14	..	104	9·6	21
Uttar Pradesh													
Agra	404	340	43·8	2	3	50	..	89	11·5	25
Allahabad	372	160	22·4	2	1	36	..	61	8·5	9
Amroha	61	53	45·3	9	..	8	..	28	23·9	9
Bahrain	49	121	22·3	3	3	3·2	1
Banaras	416	227	28·4	65	5	16	2	194	24·3	37
Bandel†													
Bareilly	206	55	13·9	..	3	..	7	2	9	..	30	7·6	4
Basti†													
Ballia†													
Bijnor†													
Budaun	55	20	19·0	10	1	4	..	16	15·2	5
Bulandshahr†													
Chandausi	44	27	31·9	13	1	4	..	23	27·2	6
Dehra Dun	186	55	15·4	3	2	3	..	19	5·3	7
Etawah	65	46	36·9	18	..	11	..	36	28·8	12

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used:—B.—Births ; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th May, 1958—*contd.*

Deaths from :—

Town	Mid-year Popn-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh—<i>contd.</i>													
Faizabad-Ayodhya	94	25	13·9	..	3	..	7	..	1	..	13	7·2	3
Farukhabad-Fatehgarh	78	26	17·4	2	8	..	11	..	23	15·4	6
Ferozabad	93	15	8·4	5	..	4	..	13	7·3	4
Ghazipur	35	10	14·9	—	2	..	4	..	1	..	8	11·9	1
Ghaziabad†	35	10	14·9	..	1	..	1	6	8·9	3
Gonda
Gorakhpur	150	44	15·3	9	1	6	..	24	8·3	5
Hapur	65	35	28·1	14	4	2	..	22	17·6	6
Hardwar	73	30	21·4	14	..	2	..	27	19·3	10
Hathras	65	34	27·2	20	2	9	..	45	36·0	18
Jaunpur	59	15	13·2	..	7	3	4	..	20	17·7	2
Jhansi	132	65	25·7	34	42	16·6	14
Kanpur	810	236	15·2	..	5	..	94	23	39	8	275	17·7	76
Kaaganj	34	2	3·1	1	1·5	..
Khurja	41	25	31·8	15	19	24·2	7
Koil-Aligarh	167	28	7·8	47	4	2	1	57	17·8	12
Lucknow	525	207	20·5	1	13	..	34	2	33	2	129	12·8	29
Mathura	118	74	32·7	19	5	3	..	34	15·0	7
Mau-Nath Bhanjan	39	30	40·1	5	9	12·0	4
Meerut	198	91	24·0	..	1	..	17	4	11	2	49	12·9	9
Mirzapur-Vindhayachal	100	21	10·9	11	2	6	..	23	12·0	5
Moradabad	165	125	39·5	..	1	..	6	3	14	1	39	12·3	6
Muzaffarnagar	81	30	19·3	9	1	4	1	19	12·2	8
Pilibhit	47	18	20·0	9	..	1	..	12	13·3	7
Rampur†
Saharanpur	178	91	26·6	40	3	4	..	57	16·7	13
Sambhal†
Sitapur	52	32	30·0	4	..	6	..	13	13·0	3
Shahjahanpur	112	68	31·6	20	..	2	..	27	12·6	5
TOTAL	5,404	2,388	23·0	3	36	..	578	72	306	17	1,505	14·5	378

West Bengal**"N. R."****ARREAR INFORMATION**

Madras													
<i>w/e 19-4-58</i>													
Ambur	48	26	28·2	1	1	8	8·7	..
Arrupukottai	62	27	22·6	5	1	6	..	21	17·6	4
Bodinayakunur	43	16	19·3	1	1	1	6	7·3	..
Chidambaram	43	45	54·4	1	1	2	..	12	14·5	3
Coimbatore	267	216	42·1	5	7	15	..	95	18·5	18
Cuddalore	76	49	33·5	1	4	2	1	23	15·7	4
Dindigul	100	20	10·4	3	3	15	7·8	2
Erode	77	122	82·4	1	..	4	2	23	15·5	5
Gobichetipalayam	48	18	19·5	2	3	3·3	1
Gudiyattam	58	33	29·6	..	2	..	1	4	1	..	16	14·3	5
Kancheepuram†
Karaikudi	47	5	5·5	2	..	1	..	4	4·4	1
Karur	57	31	28·3	2	2	6	5·5	..
Kumbakonam	115	83	37·5	1	3	2	..	19	8·6	6
Madras City	2,011	1,034	26·7	..	43	..	82	64	132	4	531	13·7	153
Madurai	488	244	26·0	..	2	..	11	6	18	..	127	13·5	26
Mayuram	53	18	17·7	1	1	14	13·7	2
Mettupalayam	43	5	6·0	1	1	1·2	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information. "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th May, 1958—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—<i>contd.</i>													
Nagapattinam	62	41	34.4	2	1	2	..	11	9.2	2
Nagercoil	109	66	31.5	3	..	2	2	18	8.6	3
Ootacamund	53	26	25.5	1	1	4	2	16	15.7	2
Palni	44	20	23.6	2	3	13	15.4	3
Palayamkottai	48	40	43.3	1	..	1	3	12	13.0	3
Periyakulam	35	23	34.2	2	1	13	19.3	2
Pollachi	60	34	29.5	2	4	16	19.1	9
Pudukkottai	54	32	30.8	2	2	1	..	20	19.3	4
Rajapalayam	74	55	38.7	3	2	2	..	12	8.4	2
Salem	279	118	22.0	..	3	..	7	5	13	1	64	11.9	..
Sriangam	46	17	19.2	6	6.8	..
Srivilliputtrur	45	16	18.5	4	3	12	13.9	..
Tanjore	133	94	36.8	2	..	4	..	32	10.2	2
Tiruchirappalli	276	167	31.5	..	1	..	2	3	4	3	41	7.7	5
Tirunelveli	84	54	33.4	1	4	..	12	10.5	6
Tiruppur	73	40	28.5	4	..	13	9.3	2
Tiruvannamala	47	32	35.4	3	1	7	7.8	1
Tuticorin	121	82	35.2	1	..	10	1	37	15.9	9
Vaniyambadi	45	23	26.6	3	..	9	10.4	..
Vellore	141	104	38.4	1	2	..	1	3	10	2	56	20.7	8
Villapuram	42	41	50.8	1	1	2	1	10	12.4	3
Virudhunagar	57	33	30.1	2	1	2	..	13	11.9	2
TOTAL	5,564	3,150	29.4	1	53	..	146	124	267	29	1,378	12.9	298

Punjab*Supplementary Figures*

for w/e 3-5-58

Hissar	41	16	20.4	5	1	9	11.5	5
Bhiwani	59	49	43.2	9	1	2	..	16	14.1	8
Rohtak	96	59	32.0	4	4	1	..	16	8.7	4
Sonepat	36	23	33.3	5	7	10.1	2
Bhatinda	45	20	23.1	3	..	1	..	6	7.0	3

Kerala

for w/e 26-4-1958

Trivandrum	247	469	98.7	7	21	144	30.3	2
Quilon†													
Alleppey†													
Changanacherry†													
Kottayam†													
Mattancherry	94	33	18.3	3	13	7.2	1
Trichur	80	39	25.4	14	9.1	..
Ernakulam	77	120	81.0	6	33	22.3	4
Cochin	33	33	52.0	1	..	2	1	12	18.9	1
Kozhikode	187	139	38.7	17	5	4	..	84	23.4	12
Palaghat	82	51	32.3	4	..	2	..	28	17.8	4
Cannanore	49	18	19.1	1	..	1	..	8	8.5	1
Tellicherry	43	23	27.8	1	1	12	14.5	3
TOTAL	892	925	53.9	40	26	9	2	348	20.3	28

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th May, 1958—contd.

Deaths from—

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Andhra Pradesh													
Adoni†													
Anantapur	42	17	21·0	1	3	1	15	18·6	3
Anakapalli	51	24	24·5	..	1	..	1	16	16·3	2
Bhimavaram	41	23	29·7	2	1	6	7·6	3
Chirala	48	28	30·3	6	1	13	14·1	3
Chittoor	50	7	70·3	1	2	2·1	..
Cuddapah†													
Ellore	108	43	20·7	4	..	5	..	35	16·8	5
Gudivada	40	19	24·7	3	1	5	..	9	11·7	2
Guntur	168	38	11·8	..	1	..	7	3	3	..	40	12·4	8
Guntakal	43	22	26·6	..	1	..	3	3	2	..	13	15·7	2
Kakinada	123	50	21·2	..	6	..	8	1	4	..	32	13·5	10
Kurnool	74	80	56·2	5	1	7	..	40	28·1	5
Masulipatnam	95	39	21·3	2	1	1	..	16	8·8	5
Nandyal	40	22	28·6	3	3·9	2
Nellore	107	77	37·4	4	2	4	1	45	21·9	7
Proddutur†													
Rajahmundry	137	74	28·1	2	13	4·9	1
Tenali	76	55	37·6	..	1	..	3	2	2	..	19	13·0	3
Vijayawada	253	131	27·0	16	3	3	..	66	13·6	17
Visakhapatnam	148	51	17·9	..	3	..	7	6	10	..	140	14·0	1
Vizianagaram†													
Hyderabad	1,291	589	23·6	..	3	..	21	5	8	..	135	5·4	28
Warrangal	173	50	15·1	..	2	..	10	..	1	..	21	6·3	1
Nizamabad	81	10	6·4	1	1	3	..	5	3·2	1
Kothagudiam†													
Secunderabad†													
TOTAL	3,189	1,449	23·6	..	18	..	105	35	64	3	684	11·2	109
<i>(Supplementary Figures)</i>													
<i>for w/e 12-4-58</i>													
Warangal	173	41	12·3	9	..	2	..	29	8·7	..
Vijayawada	253	115	23·7	..	1	..	10	6	4	..	63	13·0	16
Tenali	76	43	29·4	3	4	9	1	29	19·8	5
Adoni	72	34	24·5	1	8	5·8	2
Nellore	107	84	40·8	..	3	..	3	7	9	1	78	37·9	8
West Bengal													
<i>for w/e 19-4-1958</i>													
Assansol	96	2	1·1	..	3	4	2·2	..
Baidybati†													
Bally	71	7	5·1	6	1	..	1	..	10	7·3	..
Bankura	51	26	26·6	10	10·2	2
Bangberia†													
Basithat†													
Barangar	99	5	2·6	6	9	..	1	6	5	..	41	21·5	12
Berhampur	69	31	23·4	1	4	..	2	23	17·4	3
Bhadreswar	44	1	1	..	1	..	5	5·9	..
Bhatpara	150	18	6·3	1	2	..	9	1	3	..	44	15·3	9
Burdwan	85	15	9·2	..	2	..	1	8	4·9	..
Calcutta	2,931	1,050	18·7	248	8	..	43	119	113	2	925	16·5	199
Champidani	41	11	14·0	..	2	4	5·1	..
Cooch Bihar	56
Darjeeling	39	12	16·0	4	10	13·4	..
English Bazar	37	12	16·9	..	2	1	..	7	9·9	..
Garden Reach	131	12	1	2	19	7·6	..
Halisahar	43	6	7·3	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B. R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; DD.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th May, 1958—contd.

Deaths from :—

Town	* Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal—contd.													
Hooghly-Chinsura†													
Howrah . . .	477	112	12·2	36	27	..	5	15	24	1	178	19·5	55
Jalpaiguri . . .	55	24	22·8	1	..	2	1·9	..
Kamarhati†													
Kanchrapara . . .	104
Krishnagar . . .	69
Midnapur . . .	47	28	31·1	2	..	1	..	10	11·1	..
Nabadwip . . .	87	18	10·8	7	..	3	..	12	7·2	1
Naihati . . .	67	3	2·3	..	4	1	..	7	5·4	2
North Barrackpore . . .	37	5	7·0	1	..	1	1·4	..
Panihati . . .	76	2	1·4
Santipur . . .	55	11	10·4	..	1	1	..	4	3·8	1
Serampur . . .	92	28	15·9	10	3	..	4	3	2	..	28	15·9	5
Siliguri†													
South Dum Dum . . .	114	1	0·5	..
South Suburban . . .	149	19	6·6	7	3	..	4	1	1	..	20	7·0	4
Purulia . . .	52	6	6·0	1	3	3·0	..
Budge-Budge . . .	32	16	26·1	3	6	9·8	..
Chandernagore . . .	58	38	34·2	1	1	..	1	18	16·2	..
Kharagpur . . .	79	1	0·7	1	0·7	..
Titagarh . . .	85	16	9·8	1	2	..	12	1	2	..	19	11·7	4
TOTAL . . .	5,678	1516	13·9	332	74	..	98	147	163	3	1426	13·1	297
<i>for w/e 12-4-1958</i>													
Asansol . . .	96	3	1·6	3	1·6	..
Baidyabati†													
Bally . . .	71	2	1·5	3	1	..	5	3·7	..
Bankura . . .	51	7	7·2	1	1	..	2	2·0	..
Bansberia†													
Basirhat . . .	43	6	7·3	1	..	2	2·4	1
Baranagar . . .	99	52	27·4	7	1	1	5	..	20	10·5	1
Berhampur . . .	69	39	29·5	..	4	..	2	..	1	2	24	18·1	4
Bhadrak . . .	44	4	4·7	..	1	..	2	..	1	..	7	8·3	..
Bhatpara . . .	150	13	4·5	..	6	..	16	36	12·5	6
Burdwan . . .	85	17	10·4	..	1	1	9	5·5	..
Calcutta . . .	2,931	1023	18·2	81	15	..	37	52	122	2	649	11·5	140
Champdani . . .	41	8	10·2	2	2·5	..
Cooch-Behar . . .	56	2	1·9
Darjeeling . . .	39	5	6·7	3	4·0	..
English Bazar . . .	37	38	53·6	..	60	63	88·5	..
Garden-Reach . . .	131	12	4·8	12	1	3	..	16	6·4	1
Malisahar . . .	43	13	15·8	..
Hooghly-Chinsura . . .	63	89	73·5	..	1	..	2	1	2	..	10	8·3	1
Howrah†													
Jalpaiguri . . .	55	26	24·6	1	4	3·8	..
Kamarhati†													
Kanchrapara . . .	104	10	5·0
Krishnagar . . .	69
Midnapur . . .	47	52	57·7	..	1	..	2	..	1	..	12	13·3	..
Nabadwip . . .	87	26	15·6	1	6	1	2	2	13	7·8	2
Naihati . . .	67	8	6·2	..	2	..	4	1	1	..	9	7·0	..
North Barrackpore . . .	37	6	8·5	..	2	3	4·2	..
Panihati . . .	76	2	1·4	2	1	7	4·8	..
Santipur . . .	55	10	9·5	..	3	5	..	12	11·4	3

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); —Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th May, 1958—*contd.*

Deaths from I—

Town	Mid-year Popn-Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.]	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal—contd.													
Serampur . . .	92	25	14.2	8	4	..	3	2	3	..	31	17.6	8
Siliguri†													
South Dum Dum . .	114
South Suburban . .	149	19	6.6	1	1	..	2	3	2	..	13	4.5	5
Purulia . .	52	7	7.0	1	..	1	..	2	2.0	..
Budge-Budge . .	32	5	8.1	3	1	..	1	6	9.8	..
Chandernagore . . .	58	20	18.0	..	5	..	1	1	5	1	32	28.7	..
Kharagpur . . .	79	3	2.0
Titagarh . . .	85	23	14.1	2	2	..	15	..	4	..	26	15.9	4
TOTAL . . .	5,307	1,562	15.3	118	111	..	97	67	159	7	1,034	10.1	176
<i>w/e 5-4-58</i>													
Asansol . . .	96	14	2.2	2	1.1	..
Baidyabati†													
Bally . . .	71	14	2.9	3	3	2.2	..
Bankura . . .	51	1	4	4.1	..
Bansberia†													
Basirhat . . .	43	4	4.9
Baranagar . . .	99	10	5.3	2	11	..	1	4	6	..	33	17.4	9
Berhampur . . .	69	38	28.7	16	12.1	4
Bhadreswar . . .	44	2	2.4	..	2	3	3.6	..
Bhatpara . . .	150	11	3.8	..	2	..	10	..	2	..	21	7.3	1
Burdwan . . .	85	25	15.3	..	1	3	..	11	6.7	..
Calcutta . . .	2,931	1,005	17.9	59	19	..	39	48	104	1	656	11.7	136
Champdani . . .	41	3	3.8	1	3	3.8	..
Cooch-Behar . .	56	1	0.9
Darjeeling . . .	39	29	38.8	4	5.3	..
English Bazar . .	37	2	2	2.8	..
Garden-Reach . .	131	10	4.0	3	1	1	9	3.6	2
Hallishahar . . .	43	1	1.2	..
Hooghly-Chinsura . .	63	81	66.9	..	5	..	3	1	17	14.1	4
Howrah . . .	477	109	11.9	10	22	..	10	8	28	..	127	13.9	40
Jalpaiguri . . .	55	21	19.9	3	2.8	..
Kamarhati†													
Kanchrapara . .	104	9	4.5
Krishnanagar . .	69
Midnapur . . .	47	7	7.8	11	12.2	..
Nabadwip . . .	87	20	12.0	12	1	1	..	17	10.2	1
Naihati . . .	67	4	3.1	1	2	1	..	8	6.2	2
North Barrackpore . .	37	1	1.4	2	..	2	2.8	..
Panihati†													
Santipur . . .	55	11	10.4	..	1	4	3.8	..
Serampur . . .	92	23	13.0	7	3	..	2	4	27	15.3	7
Siliguri†													
South Dum Dum . .	114	1	1	1	1
South Suburban . .	149	17	5.9	1	9	3.1	3
Purulia . . .	52	7	7.0	1	3	3.0	..
Budge-Budge . . .	329	8	13.0	..	2	5	8	13.0	..
Chandernagore . .	55	23	20.7	..	2	..	3	2	2	1	15	13.5	1
Kharagpur . . .	79	2	1.3	2	1.3	..
Titagarh†													
TOTAL . . .	5,623	1,489	13.8	87	68	..	85	77	150	2	1,021	9.4	210

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B. R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D. D.—Dysentery and Diarrhoea; R. D.—Respiratory Diseases; M. D.—Maternal Deaths; D. R.—Death Rate; I. D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th May, 1958—contd.

Deaths from :—

Town	Mid-year Popn. Est. (ooo)	B	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal													
Asansol†													
Baidyabati†													
Bally	.	.	71	2	1·5	1	1	..	3	2·2
Bankura	.	.	51	10	10·2	7	7·2
Bansberia†													
Basirhat	.	.	43	4	4·9	2	2·4
Baranagar	.	.	99	29	15·3	3	3	1	4	23	12·1
Berhampur	.	.	69	43	32·5	..	3	1	1	13	9·8
Bhadreswar	.	.	44	5	5·9	1	1	2	2·4
Bhatnara	.	.	150	25	8·7	..	3	..	13	..	4	44	15·3
Burdwan	.	.	85	15	9·2	2	..	7	4·3
Calcutta	.	.	2931	1005	17·8	34	22	..	37	53	132	678	12·1
Champdani	.	.	41	6	7·6	1	1	..	3	3·8
Cooch-Behar†													
Darjeeling	.	.	39	8	10·7	5	1	..	11	14·7
English Bazar	.	.	37	10	14·1	..	1	1	..	4	5·6
Garden-Reach	.	.	131	13	5·2	1	1	..	2	1	3	12	4·8
Halisahar	.	.	43	1	1·2	1	1·2
Hooghly-Chinsura	.	.	63	84	69·5	..	2	..	2	..	2	14	11·6
Hewrah†													
Jalpaiguri	.	.	55	53	50·2	1	..	2	10	9·5
Kamarhati†													
Kanchrapara	.	.	104	9	4·5	3	..	4	2·0
Krishnagar	.	.	69
Midnapur	.	.	47	17	18·9	1	1	3	7	7·8
Nabadwip	.	.	87	15	9·0	5	1	..	6	3·6
Naihati	.	.	67	7	5·4	..	2	..	3	..	2	9	7·0
North-Barrackpore	.	.	37	4	5·6	1	2	1	..	4	5·6
Panighati	.	.	76	1	0·7	1	1	..	3	..	1	10	6·9
Santipur	.	.	55	5	4·7	1	1	5	4·7
Serampur	.	.	92	30	17·0	4	6	..	1	3	1	30	17·0
Siliguri†													
South Dum Dum	.	.	114
South Suburban	.	.	149	26	9·1	1	2	2	..	6	2·1
Purulia	.	.	52	7	7·0	1	..	1	3	3·0
Budge-Budge	.	.	32	9	14·7	2	1	1	2	6	9·8
Chandernagore	.	.	58	34	30·6	..	1	2	4	16	14·4
Karagpur	.	.	79	1	0·7	3	2·0
Titagarh	.	.	85	22	13·5	1	..	2	3	1·8
TOTAL	.	.	5,155	1,500	15·1	50	48	..	79	66	174	946	9·5
													198

For w/e 22-3-58

Asansol†														
Baidyabati†														
Bally	.	.	71	6	4·4	2	2	..	5	3·7
Bankura	.	.	51	7	7·2	2	2·0	
Bansberia†														
Basirhat	.	.	43	3	3·6	2	2·4	
Baranagar	.	.	99	28	14·7	..	2	..	3	3	5	22	11·6	
Berhampur	.	.	69	42	31·7	..	2	..	2	2	..	13	9·8	
Bhadreswar	.	.	44	2	2·4	1	2	2·4	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of Symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th May, 1958—*contd.*

Deaths from :—

Town	Mid-year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
West Bengal—<i>contd.</i>													
Bhatpara	150	18	6.3	11	2	4	2	36	12.5	5
Burdwan	85	25	15.3	..	2	2	4	..	15	9.2	..
Calcutta	2931	960	17.1	46	17	..	42	51	138	2	661	11.8	146
Champdani	41	8	10.2	5	6.4	..
Cooch-Behar†
Darjeeling	39	17	22.7	5	..	2	..	12	16.0	..
English Bazar	37	22	31.0	..	2	..	1	3	4.2	..
Garden-Reach	131	10	4.0	3	1	1	1	12	4.8	4
Haldibari	43	3	3.6	2	2.4	..
Hooghly-Chinsura	63	80	66.2	..	3	..	1	3	4	..	18	14.9	2
Howrah	477	115	12.6	6	31	..	4	8	35	..	144	15.7	42
Jalpaiguri	55	26	24.6	2	..	5	4.7	..
Kamarhati†
Kanchrapara	104	2	1.0	3	1.5	2
Krishnanagar	69	2	1.5	..
Midnapur	47	23	25.5	3	13	14.4	..
Nabidwip	87	20	12.0	8	..	3	..	15	9.0	..
Nathdwip	67	1	..	3	..	1	..	12	9.3	..
North Barrackpore	37	2	2.8	1	..	2	2.8	..
Panihati	76	..	2	3	5	2.1	..
Santipur	55	14	13.3	..	2	..	3	1	1	..	11	10.4	..
Serampur	92	27	15.3	..	1	..	4	..	2	..	15	8.5	5
Siliguri†
South Dum Dum	114	1	0.5
South Suburban	149	20	7.0	1	1	3	9	3.1	3
Purulia	52	7	7.0	1	3	3.0	..
Budge Budge	32	7	11.4	2	1	1	1	..	8	13.0	2
Chandernagore	58	18	16.2	2	1	..	17	15.3	2
Kharagpur	79	1	0.7	..
Titagarh	85	85	6.1	9	1	3	..	17	10.4	1
TOTAL	56,32	15,23	14.1	59	64	..	108	80	211	5	1092	10.1	221

w/e 15-3-58

Asansol†	3	2.2	..
Baidyabati†	3	3.1	..
Bally	71	2	1.5	1	2
Bankura	51	9	9.2	3	3.1	..
Bansberia†
Basirhat	43	7	8.5	2	2.4	..
Baranagar	99	13	6.8	..	4	..	2	2	4	..	21	11.1	4
Berhampur	69	25	18.9	..	6	..	6	..	2	..	31	23.4	4
Bhadrak	44	1	1.2	..	1	..	1	..	1	..	6	7.1	..
Bhatpara	150	19	6.6	11	..	5	2	40	13.9	5
Burdwan	85	15	9.2	2	..	10	6.1	..
Calcutta	2931	1060	18.9	11	22	..	36	39	167	2	642	11.4	158
Champdani	41	1	1.3	4	1	..	7	8.9	..
Cooch-Behar†	2	7	9.4	..
Darjeeling	39	9	12.0
English Bazar	37	17	24.0	..	1	2	2.8	..
Garden-Reach	131	14	5.6	2	1	1	3.6	3
Haldibari	43	3	3.6	2
Hooghly-Chinsura	63	92	76.1	1	12	9.9	12
Howrah	477	133	14.5	9	39	..	7	8	46	..	153	16.7	43
Jalpaiguri†
Kamarhati†
Kanchrapara†
Krishnagar	69	1	1	0.8	..

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of Symbols used—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 10th May, 1958—concl'd..

Deaths from :—

Town	Mid. year Popn. Est. (ooo)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.†	I.D.
West Bengal—contd.													
Midnapur	47	36	39·9	2	1	2	...	23	25·4	...
Nabadwip	87	24	14·4	1	5	2	2	...	11	6·6	1
Naihati	67	3	2·3	...	3	...	1	...	3	1	10	7·8	...
North Barrackpore	37	1	1·4	...	1	2	...	5	7·0	...
Panihati	76	2	1·4
Santipur	55	12	11·4	1	2	...	4	3·8	...
Serampur	92	16	9·1	3	1	4	1	20	11·3	8
Siliguri†													
South Dum Dum . . .	114	5	2·3	2	...	3	1·4	...
South Suburban . . .	149	18	6·3	3	3	...	2	1	2	...	15	5·2	5
Purulia	52	7	7·0	1	3	3·0	...
Budge Budge	32	7	11·4	1	3	1	1	...	6	9·8	2
Chandernagore	58	21	18·9	1	1	1	...	14	12·6	3
Kharagpur	79	3	2·0	...	1	1	0·7	..
Titagarh	85	23	14·1	...	2	...	15	3	5	1	30	18·4	5
TOTAL	5,473	1,595	15·2	30	86	..	98	61	256	9	1097	10·4	246

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoeas; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths) ; .. —Nil information

REMARKS

The figures of births and deaths shown in this statement for week ending the 10th May, 1958 relate to 135 towns from the States of Andhra Pradesh, Madras, Mysore, Orissa, Pondicherry, Punjab, Rajasthan, and Uttar Pradesh, with a population coverage of 17,940 thousands out of the total population of 46,893 thousands in 319 towns in the country. The number of births and deaths recorded in these

towns were 9,218 and 4,376 representing birth and death rates of 26.7 and 12.7 per thousand of population respectively.

The town of Hathras in Uttar Pradesh only has recorded a high death rate of 36.0 per thousand of population. The following table gives the registered rates for different States:—

States	Current w/e 10-5-58		Corresponding w/e last year	
	B.R.	D.R.	B.R.	D.R.
Andhra Pradesh	22.0	10.9	24.1	10.5
Madras	34.7	13.4	39.6	17.7
Mysore	19.6	9.2	32.5	15.2
Orissa	27.0	18.8	40.0	20.9
Pondicherry	65.8	19.1	74.6	25.6
Punjab	30.5	11.3	25.8	8.6
Rajasthan	12.2	9.6	11.9	10.4
Uttar Pradesh	23.0	14.5	27.2	14.7
India	26.7	12.7	29.8	14.1

NEW DELHI-2 (INDIA); }
The 2nd June, 1958. }

H. R. SHARMA,
For Registrar General, India.

